

INDEX MAPS.

T. 16 N. R. 8 E. 2<sup>nd</sup> Mer.

319	6	341	5	335	4	331	3	327	2	323	1	316
	340		340		335		331		327		322	
318	7	340	8	334	9	330	10	326	11	322	12	316
	340		339		334		330		326		322	
318	18	339	17	334	16	330	15	326	14	321	13	316
	339		338		333		329		325		321	
317	19	338	20	333	21	329	22	325	23	321	24	315
	337		337		333		329		324		320	
317	30	337	29	332	28	328	27	324	26	320	25	315
	336		336		332		328		324		319	
317	31	336	32	331	33	328	34	323	35	319	36	315
	314		314		314		313		313		313	

T. 1 S— R. 9 E. 2<sup>nd</sup> Mer.

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

343 343 343  
Meander 344  
OHIO R.

The figures on the lines refer to the page.

313

Township N. 16 North, Range N. 8 E. 2<sup>nd</sup> Mer. Indiana

South Boundary. var. 7<sup>th</sup> 00' E.

West On S. boundary of Sec. 36

15.77 a Beech 10<sup>th</sup> m. dist.

40.00 Set of Sec. post, from which  
a Beech 9 m. dist. bran. N 75 E 17<sup>th</sup> m. dist. of  
a do. 12 " " " S 85 W 16 " "

51.30 a W. Ash 30 " "

79.00 a Branch 15<sup>th</sup> m. wide Course S.

80.00 Set post Cor. to Sec. 35 & 36, from which  
a Beech 8 m. dist. bran. N 28 W 13<sup>th</sup> m. dist. of  
a do. 8 " " " S 33 E 32 " "  
Good farming land, timber Beech, Sugar,  
Ash, Elm &c. Underg<sup>th</sup> Spruce &c.

---

West On S. boundary of Sec. 35

32.18 a Beech 33 m. dist.

40.00 Set of Sec. post, from which  
a Beech 15 m. dist. bran. North 12<sup>th</sup> m. dist. of  
a do. 6 " " " S 40 E 13 " "

53.84 a Hickory 20 " "

80.00 Set post Cor. to Sec. 34 & 35, from which  
a Walnut 30 m. dist. bran. S 52 E 6<sup>th</sup> m. dist. of  
a Beech 7 " " " N 53 W 18 " "  
Rich level land Beech, Sugar, Walnut, Ash, Oak  
Hickory, underg<sup>th</sup> Spruce, pawpaw &c.

---

West On S. boundary of Sec. 34

8.00 a Creek 60<sup>th</sup> m. wide Course South

18.00 a Branch 10<sup>th</sup> m. " " S. E.

26.75 a Beech 33 m. dist.

40.00 Set of Sec. post, from which  
a Hickory 21 m. dist. bran. S 21 W 20<sup>th</sup> m. dist. of  
a Beech 6 " " " N 16 E 33 " "

41.13 a Beech 16 " "

80.00 Set post Cor. to Sec. 33 & 34, from which  
a Beech 8 m. dist. bran. N 72 E 8<sup>th</sup> m. dist. of

# St. R. & E. 2<sup>nd</sup> Mer. Indiana

ch.

a Beech 18 in. dia. - branch 159 W 16 lb. dia. &  
good farming land timber Beech, Sugar,  
Ash, Elm, Oak, Hickory &c. underg<sup>g</sup>.  
Spice, pawpaw &c.

West On S. boundary of Sec. 33

8.02 a Beech 18 in. dia.

25.50 a Branch 12 lb. wide Course S.W.

40.00 Set gr. Sec. post, from which

a Beech 16 in. dia. - branch 126 E 3 lb. dia. &

a Hickory 22 " " " N 119 W 10 " "

69.00 a Branch 20 lb. wide Course S.

71.00 a do 20 " " " S.E.

73.13 a Beech 14 in. dia.

80.00 Set post Cor. to Sec. 32 & 33, from which

a Walnut 42 in. dia. - branch 112 W 13 lb. dia. &

a Beech 10 " " " N 20 E 8 " "

Land timber &c. same as on the last mile

West On S. boundary of Sec. 32

18.50 a W. Oak 30 in. dia.

40.00 Set gr. Sec. post, from which

a Sugar 20 in. dia. - branch 153 E 17 lb. dia. &

a Buckeye 6 " " " S 29 E 8 " "

66.25 a W. Oak 35 " "

80.00 Set post Cor. to Sec. 31 & 32, from which

a Beech 12 in. dia. - branch 120 W 6 lb. dia. &

a Ironwood 6 " " " N 39 W 16 " "

Rich rolling land, with some good bottom

Sugar, Walnut, ash, Oak, Hickory &c.

underg<sup>g</sup>. Spice & pawpaw

West On S. boundary of Sec. 31

7:97 an Elm 24 in. dia.

40.00 Set gr. Sec. post, from which

a Beech 10 in. dia. - branch 116 E 7 lb. dia. &

# T6. N. R. 8 E. 2.<sup>n</sup> Mer. Indiana

315

ch. 1/4

- a Beech 21 in. dia. bran S 3 E 17 lks. dist. of  
 49.17 a do 27 "  
 49.50 a Creek 60 lks. wide Course S. W.  
 65.03 Intersected at post Cor. to Township, 15 of  
 Ne North, Range 7 of 8 East  
 Land level rich, Buckeye, Angar, Ash, Elm  
 Beech, Hickory &c. undug<sup>d</sup>. Spruce and  
 prairie. Saturday Entry 24<sup>th</sup> 1819

## East Boundary. var. 7.<sup>o</sup> 00. E North On E. boundary of Sec. 36

- 16.83 a Beech 30 in. dia.  
 40.00 Set of Sec. post, from which  
 a Beech 18 in. dia. bran S 67 E 21 lks. dist. of  
 a do. 6 " " " S 67 W 19 " "  
 67.20 a Sugar 20 " "  
 80.00 Set post Cor. to Sec. 25 of 36 from which  
 a Spruce 18 in. dia. bran S 38 E 9 lks. dist. of  
 an Elm 40 " " " N 23 W 22 " "  
 Level wet land, Beech, Angar, Ash, Elm,  
 Spruce, Oak, Hickory &c. undug<sup>d</sup>. Spruce &c.

## North On E. boundary of Sec. 25

- 18.20 a Beech 20 in. dia.  
 40.00 Set of Sec. post, from which  
 a W. Ash 36 in. dia. bran N 60 W 48 lks. dist. of  
 a B. Ash 20 " " " N 26 E 40 " "  
 59.60 a W. Oak 48 " "  
 80.00 Set post Cor. to Sec. 24 of 25 from which  
 an Ash 12 in. dia. bran N 79 E 31 lks. dist. of  
 a do. 8 " " " N 65 W 31 " "  
 Land level 2.<sup>d</sup> rate, Beech, Angar, Ash, Elm &c.  
 undug<sup>d</sup>. Spruce &c.

## North On E. boundary of Sec. 24

- 19.90 a Poplar 48 in. dia.



## T. H. R. &amp; E. D. Mer. Indiana

Chalk

40.00 Set of Sec. post, from which  
a Beech 8 mi. dist. by S 22 W 24 lks. dist. of  
a do. 18 " " " S 80 E 4 " "

58.05 a do. 25 " "

80.00 Set post Cor. to Sec. 13 of 24, from which  
an Ash 18 mi. dist. by S 35 E 24 lks. dist. of  
an Elm 48 " " " N 33 E 13 " "

Land level of post, suitable for meadow, timber.  
Elm, Ash, Beech, Oak, Hickory &c. underneath.  
Specie &c. Friday July 23, 1819

North On E. boundary of Sec. 13

30.20 a W. Ash 27 mi. dist.

40.00 Set of Sec. post, from which  
a Beech 10 mi. dist. by S 54 E 21 lks. dist. of  
a do. 12 " " " N 54 W 21 " "

65.74 a W. Ash 24 " "

80.00 Set post Cor. to Sec. 12 of 13, from which  
an Elm 16 mi. dist. by S 76 W 16 lks. dist. of  
a Hickory 6 " " " N 87 E 28 " "

Land timber &c. same as on the last mile

North On E. boundary of Sec. 12

25.47 a Beech 12 mi. dist.

40.00 Set of Sec. post, from which  
an Ash 8 mi. dist. by S 75 E 01 lks. dist. of  
a Beech 10 " " " N 75 W 5 lks. "

52.97 a W. Oak 30 " "

80.00 Set post Cor. to Sec. 1 of 12, from which  
a Beech 18 mi. dist. by S 53 E 2 lks. dist. of  
a do. 9 " " " S 53 W 9 " "

Land timber &c. same as on the last mile

North On E. boundary of Sec. 1

5.69 a Sycamore 60 mi. dist.

40.00 Set of Sec. post, from which

317

West R8E. 2<sup>d</sup> Mer. Indiana

ch. 1<sup>st</sup> M<sup>y</sup>

- a Poplar 30 mi. dist. bear S25<sup>th</sup> N 1<sup>st</sup> M<sup>y</sup>. dist. of  
 a Beech 10 " " " N33E10 " "  
 44.39 an Elm 18 " "  
 66.93 Intersected the line of Connection 794<sup>th</sup> M<sup>y</sup>.  
 of Cor. to Sec. 35 & 36, T16N, R8E, at post cor.  
 to Township, 16N, Range, 8 & 9 East, from which  
 a W. Oak 40 mi. dist. bear N16<sup>th</sup> W 23<sup>th</sup> M<sup>y</sup>. dist. of  
 a Beech 12 " " " S46E7 " "  
 This mile level 2<sup>d</sup> rate land, Beech, Angar  
 Ash, Elm, Gynm, Oak & Hickory, and g<sup>r</sup>. Spice

- West Boundary. var. 7<sup>th</sup> W. E.
- North On E. boundary of Sec. 36, T16N, R7E.  
 0.88 a Beech 30 mi. dist.  
 40.00 Let g<sup>r</sup>. Sec. post, from which  
 a Angar 18 mi. dist. bear S81E21 M<sup>y</sup>. dist. of  
 a Beech 16 " " " N34W17 " "  
 42.21 a Beech 33 " "  
 80.00 Let post Cor. to Sec. 25 & 36, T16N, R7E, from which  
 a Beech 12 mi. dist. bear S28E17 M<sup>y</sup>. dist. of  
 a Do. 16 " " " S55W28 " "  
 Land level 2<sup>d</sup> rate, Beech, Angar, Ash, Elm  
 Walnut, Hickory &c. and g<sup>r</sup>. Spice, prairie

- North On E. boundary of Sec. 25, T16N, R7E.  
 19.50 a Brook 20 M<sup>y</sup>. wide Course S.E.  
 23.80 a Beech 20 mi. dist.  
 40.00 Let g<sup>r</sup>. Sec. post, from which  
 a Buckeye 8 mi. dist. bear S47<sup>th</sup> W 4 M<sup>y</sup>. dist. of  
 a Walnut 16 " " " N17E6 " "  
 80.00 Let post Cor. to Sec. 24 & 25, T16N, R7E, from which  
 a Buckeye 8 mi. dist. bear N70E10 M<sup>y</sup>. dist. of  
 an Ash 8 " " " S80W20 " "  
 Land timber &c. same as on the last mile

North On E. boundary of Sec. 24, T16N, R7E.

T6 St R8 E 2<sup>d</sup> Mer. Indianach<sup>d</sup> l<sup>y</sup>

31.43 a Hickory 27 m. dia.

40.00 lot of Sec. post, from which  
a Sugar 16 m. dia. bray N 2 E 9 l<sup>y</sup>. dist. of  
a Beech 6 " " " " " " " " " " " "

62.42 a Sycamore 30 " "

80.00 lot post Cor. to Sec. 13 of 24, T6 St. R7 E, from which  
a W. Oak 18 m. dia. bray S 27 E. 23 l<sup>y</sup>. dist. of  
a Beech 7 " " " " " " " " " " " "  
S 57 W 4 " " " " " " " " " " " "  
Good farming land, Beech, Ash, Elm, W. Oak  
Hickory &c. undg<sup>th</sup> Spruce, Dogw. prairie &c.

North On E. boundary of Sec. 13, T6 St. R7 E

0.90 an Elm 20 m. dia.

40.00 lot of Sec. post, from which  
a Hickory 22 m. dia. bray N 76 E 19 l<sup>y</sup>. dist. of  
a Beech 7 " " " " " " " " " " " "

47.42 a Poplar 24 " "

80.00 lot post Cor. to Sec. 12 of 13, T6 St. R7 E, from which  
a Beech 16 m. dia. bray S 67 E 33 l<sup>y</sup>. dist. of  
a Do. 14 " " " " " " " " " " " "  
S 74 W 30 " " " " " " " " " " " "  
Sand level foot, Ash, Elm, Syc, Oak, Hick  
Some Beech & sugar, thick undg<sup>th</sup> of Spruce  
top the same kind of timber

North On E. boundary of Sec. 12, T6 St. R7 E.

18.87 a Beech 22 m. dia.

40.00 lot of Sec. post, from which  
a Hickory 24 m. dia. bray S 87 W 7 l<sup>y</sup>. dist. of  
a Beech 18 " " " " " " " " " " " "

56.38 an Elm 40 " "

80.00 lot post Cor. to Sec. 1 of 12, T6 St. R7 E, from which  
a Beech 8 m. dia. bray N 52 W 10 l<sup>y</sup>. dist. of  
an Ironw<sup>d</sup>. 6 " " " " " " " " " " " "  
S 50 E 11 " " " " " " " " " " " "  
Good farming land, Beech, Sugar, W. Ash, Elm, Poplar  
&c. undg<sup>th</sup> Spruce, prairie, Beech, Ash &c.

# T6 N R8 E. 2<sup>d</sup> Mer. Indiana

319

ch<sup>2</sup> l<sup>y</sup>  
 North On E. boundary of Sec. 1, T6 N, R7 E.  
 20.21 a Beech 24 m. dist.  
 29.50 a Branch 15 l<sup>y</sup>. (wide corner) S. E.  
 40.00 Set q<sup>r</sup>. Sec. post, from which  
     a Beech 8 m. dist. branch 44 N 5 l<sup>y</sup>. dist. of  
     a Sugar 20 " " " S 53 E 7 " "  
 57.87 a P. Oak 48 " "  
 73.00 Intersected the line of Correction 192 l<sup>y</sup>. E.  
     of post Cor. to Secs. 35 & 36, T17 N, R7 E. Set  
     post Cor. to Township, 16 North, of Range  
     7 & 8 East, from which  
     a W. Oak 36 m. dist. branch 163 N 18 l<sup>y</sup>. dist. of  
     a Sugar 20 " " " S 44 E 10 "  
 Land timber &c. Same as on the last mile  
 July 27<sup>th</sup> 1819

Surveyed by

John M. Donald,

Deputy Surveyor

Com

## Subdivision,

var. 7° 05' E

North Between Secs. 35 & 36

17.05 a Sugar 26 m. dist.

40.00 Set q<sup>r</sup>. Sec. post, from which

    a Beech 7 m. dist. branch N 18 E 14 l<sup>y</sup>. dist. of

    a Sugar 7 " " " S 47 N 18 " "

57.95 a W. Oak 18 " "

80.00 Set post Cor. to Secs. 25, 26, 35 & 36, from which

    a Beech 11 m. dist. branch N 61 E 6 l<sup>y</sup>. dist. of

    a Red Oak 16 " " " S 67 N 8 " "

Level 2<sup>d</sup> rate land, timber Beech, Oak, Sugar  
 Elm, Hickory, W & E. Oak, underground  
 Prickly Ash, Hornbeam &c.

East On Land<sup>m</sup> between Secs. 25 & 36

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

79.42 Intersected the E. boundary 160 l<sup>y</sup>. S. of post



320

West R & E. 2<sup>d</sup> Mer. Indianach<sup>th</sup> Sand timber &c. same as on the last mile

West Corrected between Secs. 25 &amp; 26

24.18 a Beech 28 in. dia.

39.71 Set of Sec. post at average dist. from which  
a Hornbeam 4 in. dia. by N 58 W 7 lns. dist. of  
a Beech 14 " " " N 63 E 11 " "

57.96 an Elm 20 " "

79.42 to Sec. Corner

North Between Secs. 25 &amp; 26

26.73 a Sugar 16 in. dia.

40.00 Set of Sec. post, from which  
a Beech 20 in. dia. by N 22 E 9 lns. dist. of  
a Ho. 18 " " " S 62 W 29 " "

40.58 the Channel of a Brook 8 lns. wide course S. W.

65.54 a Beech 14 in. dia.

80.00 Set post Cor. to Secs. 23, 24, 25 & 26, from which  
a Beech 20 in. dia. by N 84 E 4 lns. dist. of  
an Ironw. 4 " " " S 20 W 5 "Sand level 2<sup>d</sup> rate, Beech, Ash, Hickory, H. Oak,  
Red Oak, Sugar, Lyrum &c. underg<sup>d</sup>. Spruce, ash,  
Ironwood, Hornbeam, Buckeye &c

East On Road between Secs. 24 &amp; 25

40.00 Set temp. of Sec. post

78.93 Intersected the E. boundary 350 lns. S. of post  
Sand timber &c. same as on the last mile

West Corrected between Secs. 24 &amp; 25

19.73 a Hickory 28 in. dia.

39.46 Set of Sec. post at average dist. from which  
a Red Oak 15 in. dia. by N 57 W 12 lns. dist. of  
a Beech 16 " " " S 7 W 6 " "

62.18 a Gray Ash 23 " "

78.93 to Sec. Corner

# 321

## Mt R & E. 2<sup>d</sup>. Mer. Indiana

Ch. 1<sup>st</sup> 1/4

North Between Secs. 23 & 24.

30.50 a Beech 14 in. dia.

40.00 Set of Sec. post, from which  
a Sugar 24 in. dia. bears S 45 E 8 lks. dist. &  
a Ironwood 4 " " " S 79 W 6 " "

61.95 a Hickory 15 " "

66.90 the Channel of the Stream 10 lks. wide Course S. W.

80.00 Set post Corner to Secs. 13, 14, 23 & 24, from which  
a Beech 4 in. dia. bears N 45 W 10 lks. dist. &  
a Sugar 17 " " " S 39 E 15 " "  
Level 2<sup>nd</sup> rate land timber Beech, Sugar, Ash, Beech,  
Elm, Hickory Undergrowth Spice Ash Ironwood  
Hornbeam Pawpaw. &c.

East On Random between Secs. 13 & 24

5.85 a Brook 10 lks. wide course S. W.

9.65 a Springbranch— " " " N. N. W.

40.00 Set temp. of Sec. post

78.78 Intersected the N. & S. line 3.97 lks. S. of post.  
Land timber &c. same as on the last mile

West Corrected between Secs. 13 & 24

16.95 a Bur Oak 40 in. dia.

39.44 Set of Sec. post, from which  
a Beech 23 in. dia. bears N 31 W 18 lks. dist. &  
a Sugar 6 " " " S 44 W 10 " "

62.20 a No. 24 " "

78.88 to Section Corner

North Between Secs. 13 & 14

22.12 a Beech 18 in. dia.

40.00 Set of Sec. post. from which  
a Beech 13 in. dia. bears N 76 W 11 lks. dist. &  
a No. 36 " " " S 87 E 20 " "

62.44 a No. 20 " "

80.00 Set post Corner to Secs. 11, 12, 13 & 14, from which

# *West R8E. 2<sup>nd</sup> Mer. Indiana*

*ch. P. 117*

a Beech 20 in. dia. bears N 18 E 28 lbs. dist. 4  
a Do. 18 " " " South 25 " "  
Land timber &c. Same as on the last mile

East On Random between Sec. 12 & 13.

40.00 Set temp. g. Sec. post

78.65 Intersected the N. & S. line 5.46 lbs. S. of post.

Land timber &c. Same as last mile

West Corrected between Sec. 12 & 13

19.92 a Beech 21 in. dia.

39.10 Set g. Sec. post, at average dist. from which  
a W. Oak 12 in. dia. bears S 10 E 22 lbs. dist. 4  
a Beech 10 " " " N 52 E 18 " "

58.08 a Gray Ash 18 " "

78.80 to Section Corner

North Between Sec. 11 & 12

13.80 the Channel of the Stream 15 lbs. wide Course S. W.

25.36 a Beech 10 in. dia.

30.50 the Channel of the Stream 20 lbs. wide Course S. W.

41.00 Set g. Sec. post, from which  
an Ironwood 5 in. dia. bears N 80 W 10 lbs. dist. 4  
a Beech 5 " " " N 85 E 8 " "

60.52 a Blue Ash 30 " "

80.00 Set post Corner to Sec. 12, 11 & 12, from which  
a Beech 18 in. dia. bears N 15 W 18 lbs. dist. 4  
an Ironwood 7 " " " S 50 E 27 " "  
Land level 2<sup>nd</sup> rate timber as before.

East On Random between Sec. 1 & 12.

2.50 the Channel of the Stream 20 lbs. wide Course S. S. E.

30.00 Enter a pond

34.00 leave the pond

40.00 Set temp. g. Sec. post

78.83 Intersected the E. boundary 675 lbs. S. of post

# *N 6 N. 12 E. 2<sup>nd</sup> Mer. Indiana* *ch. 1/2 m*

323

Land timber &c. Same as on the last mile

West Connected between Sec. 1 & 12.

18.20 a Beech 19 in. dia.

39.55 Set of. Sec. post at average dist. from which  
a Beech 14 in. dia. bears S 40 W 2 lbs. dist. &  
a Do. 12 " " " N 10 E 19 " "

55.75 a Sugar 26 " "

79.11 to Section Corner

North Between Sec. 1 & 2., N 6 N. 12 E

20.60 a Buckeye 15 in. dia.

40.00 Set of. Sec. post, from which  
a Beech 17 in. dia. bears N 32 W 4 lbs. dist. &  
a do. 12 " " " N 3 E 11 " "

58.00 a do. 24 " "

75.81 Intersected N. town dary, no post found on  
Correction line; Set post Cor. to Sec. 1 & 2, from which  
a Beech 14 in. dia. bears S 48 E 3 lbs. dist. &  
a Sugar 17 " " " S 22 W 34 " "

Level 2<sup>nd</sup> rate land, Beech, Oak, Elm, W. Oak, R. Oak  
Sugar, Poplar, Ash, &c. undg. & spruce. Aug. 25<sup>th</sup> 1820

North Between Sec. 34 & 35

4.50 a Stream 30 lbs. wide Course S. S. W.

24.30 a Sugar 18 in. dia.

40.00 Set of. Sec. post, from which  
a Beech 22 in. dia. bears N 20 E 9 lbs. dist. &  
a Sugar 14 " " " S 58 W 25 " "

55.60 a Stream 12 lbs. wide Course S. E.

57.00 Cut E. bend of same Stream

59.48 a Cherry tree 18 in. dia.

80.00 Set post Corner to Sec. 26 27. 34 & 35, from which  
an Elm 30 in. dia. bears N 36 E 11 lbs. dist. &  
a Sugar 24 " " " S 49 W 27 " "

Land rich 2<sup>nd</sup> rate & level timber Beech Sugar-



324

M. N. P. S. E. 2<sup>d</sup> Mer. Indiana

ch. l. l. l.

Elm Walnut Cherry Hackberry &c. underg<sup>th</sup> Spice, Ash.East On Random between Sec<sup>s</sup>. 26 & 35.

23.50 a Stream 20 lbs. wide Course S. W.

40.00 Set temp<sup>y</sup>. of Sec. post.

81.12 Intersected the N. &amp; S. line 68 lbs. S. of post.

Port level & part rolling 2<sup>d</sup> rate land timber SameWest Corrected between Sec<sup>s</sup>. 26 & 35

19.46 a Black Ash 22 in. dia.

40.56 Set of Sec. post, at average dist. from which  
a Ironwood 12 in. dia. bears N 32 W 14 lbs. dist. &

a Beech 12 " " " S 31 E 17 " "

56.42 a Sugar 15 " "

81.12 to Section Corner

North Between Sec<sup>s</sup>. 26 & 27.

22.05 a Beech 20 in. dia.

40.00 Set of Sec. post, from which

a Beech 10 in. dia. bears N 35 W 5 lbs. dist. &amp;

a No. 5 " " " S 37 E 11 " "

57.90 a Sugar 30 " "

80.00 Set post Cor. to Sec<sup>s</sup>. 22, 23, 26 & 27. from which

a Beech 12 in. dia. bears N 47 W 9 lbs. dist. &amp;

a No. 15 " " " N 89 E 9 " "

Land 2<sup>d</sup> rate & level timber the Same as last mile.East On Random between Sec<sup>s</sup>. 23 & 2640.00 Set temp<sup>y</sup>. of Sec. post

45.00 descend 15 feet &amp; enter bottom

51.70 a Stream 25 lbs. wide Course S. S. W.

55.00 ascend a bank and leave the Bottom

81.27 Intersected the N. &amp; S. line 21 lbs. S. of post.

Land timber &amp;c. Same as last mile

West Corrected between Sec<sup>s</sup>. 23 & 26.

# N 6th R 8 E 2<sup>d</sup> Mer. Indiana

325

ch. 6<sup>th</sup>

20.70 at Beech 21 mi. dist.

40.63 at q<sup>r</sup>. Sec. post at average dist. from which  
a Gray Ash 24 mi. dist. bearing S 33° W 27 l<sup>th</sup>. dist. of  
a W. Elm 24 " " " N 59° E 14 " "

57.27 at Beech 14 " "

81.27 to Sec. Corner

North Between Secs. 22 & 23

19.45 a W. Elm 18 mi. dist.

40.00 at q<sup>r</sup>. Sec. post, from which  
a Sugar 15 mi. dist. bearing S 78° W 27 l<sup>th</sup>. dist. of  
a W. Elm 12 " " " N 79° E 21 " "

60.11 a Gray Ash 20 mi. dist.

80.00 at post, Cor. to Secs. 14, 15, 22 & 23, from which  
a Beech 18 mi. dist. bearing N 47° E 16 l<sup>th</sup>. dist. of  
a Hickory 18 " " " S 73° W 44 " "  
Level 2<sup>d</sup> rate land, timber, Ash, Beech, Elm,  
Sugar, large W. Oak, Hickory, Walnut &c.

East On Rand<sup>m</sup>. between 14 & 23

28.50 a Pond offset 400 l<sup>th</sup>. South

34.50 returned offset & fell into line

40.00 at temp<sup>y</sup>. q<sup>r</sup>. Sec. post

58.60 a Stream 20 l<sup>th</sup>. wide Course S.

81.38 Intersected the N & S. line 14 l<sup>th</sup>. S. of post  
Part level & part rolling 2<sup>d</sup> rate, timber  
Same as on last mile

West Connected between Secs. 14 & 23

19.58 a W. Elm 23 mi. dist.

40.69 at q<sup>r</sup>. Sec. post, at average dist. from which  
a Beech 18 mi. dist. bearing S 9° E 27 l<sup>th</sup>. dist. of  
a Gray Ash 22 " " " N 41° E 4 " "

58.86 at Pin Oak 25 " "

81.38 to Sec. Corner.

M N R & E. 2<sup>nd</sup> Mer. Indiana

ch. lks

North Between Sec. 14 &amp; 15

21.32 at Beech 30 in. dia.

40.00 at q. Sec. post, from which  
a Beech 10 in. dia. bears N 60 E 13 lks. dist. of  
a No. 15 " " " S 78 W 22 " "

59.27 at Beech 17 " "

80.00 at post Cor. to Sec. 10, 11, 14 & 15, from which  
a Poplar 32 in. dia. bears N 26 E 4 lks. dist. of  
a Beech 18 " " " S 59 W 15 " "  
Land rolling 2<sup>nd</sup> rate, timber Beech, Sugar, Ash,  
Elm, Bur Oak, Walnut, Poplar, W. Oak &c.  
underg<sup>o</sup>. Spruce, Ash &c.East On Land<sup>o</sup>. between Sec. 11 & 1440.00 at temp<sup>y</sup>. q. Sec. post,

68.00 a Stream 25 lks. wide Corner S. W

81.50 Intersected the N & S. line 18 lks. S. of post,  
Land part level & part broken 2<sup>nd</sup> rate timber  
Same as on the last mile

West Connected between Sec. 11 &amp; 14

20.12 at Beech 20 in. dia.

40.75 at q. Sec. post at average dist. from which  
a Beech 28 in. dia. bears N 41 E 14 lks. dist. of  
a No. 20 " " " S 41 W 43 " "

58.32 a No 23 " "

81.50 to Sec. Corner

North Between Sec. 10 &amp; 11

13.50 a pond offset 150 East

18.00 reduced offset and fell into line

40.00 at q. Sec. post, from which,  
a Beech 12 in. dia. bears N 19 W 26 lks. dist. of  
a No. 20 " " " S 83 E 24 " "

59.10 a Bur Oak 34 " "

80.00 at post Cor. to Sec. 2, 3, 10 &amp; 11, from which

327

*St. N. C. & E. D. Mer. Indiana*  
*ch. l. l. l.*  
 a Beech 24 in. dia. - bray N 67 E 29 lks. dist. of  
 a do. 20 " " " N 48 W 10 "  
 Land level 2<sup>d</sup> rate, timber &c. same as on  
 the last mile

---

*East On Land. between Sec. 2 & 11*  
 40.00 at temp. g. Sec. post  
 50.00 enter a pond  
 57.50 leave the pond  
 81.68 Intersected the N & S. line 3 lks. S. of post  
 Part level of post rolling 2<sup>d</sup> rate land & timber  
 &c. same as on the last mile

---

*West Corridor between Sec. 2 & 11*  
 20.32 at Beech 18 in. dia.  
 40.84 at g. Sec. post, from which (at average dist.)  
 a Beech 12 in. dia. - bray N 35 W 25 lks. dist. of  
 a do. 14 " " " N 10 E 17 "  
 58.06 a do 22 " "  
 81.68 to Section Corner.

---

*North Between Sec. 2 & 3 Aug. 28. 1820*  
 29.00 a Pin Oak 28 in. dia.  
 40.00 at g. Sec. post, from which  
 a Beech 22 in. dia. - bray N 51 E 18 lks. dist. of  
 a do. 22 " " " N 65 W 25 "  
 44.50 enter a pond  
 47.50 leave the same and enter timber land  
 57.12 at Beech 18 in. dia.  
 75.76 Intersected N. boundary of last post corner to  
 Section 2 & 3, from which  
 a Beech 14 in. dia. - bray N 65 W 8 lks. dist. of  
 a do. 8 " " " N 52 E 23 "  
 Level 2<sup>d</sup> rate land, Beech, ash, Sugar, Pin Oak  
 Poplar, Hick, Elm &c. underg. <sup>th</sup> Spruce Ash &c.

---



# N 6 S N 8 E. 2<sup>nd</sup> Mer. Indiana

ch. l. l. h.

North Between Sec. 1, 33 & 34

23.36 a Shellbark Hickory 24 in. dia.

40.00 Let q. Sec. post, from which  
a Hornbeam 4 in. dia. brang N 48 E 25 l. h. dist. of  
a Beech 16 " " " S 54 W 22 " "

61.75 a Do. 15 " "

80.00 Let post Cor. to Sec. 1, 27, 28, 33 & 34, from which  
an Ironwood 5 in. dia. brang N 69 E 9 l. h. dist. of  
a Dogwood 3 " " " S 47 W 27 " "  
Level 2<sup>nd</sup> rate land, timber Beech, Hickory, ash  
W. H. Oak, Sugar, Poplar &c. undug. Spruce &c

East On Land m. between Sec. 1, 27 & 34

40.00 Let temp. q. Sec. post

74.50 a Stream 10 l. h. (wide Course S. S. E.)

81.28 Intersected the N & S. line 14 l. h. N. of post  
Land part level & part rolling 2<sup>nd</sup> rate, timber  
Same as on the last mile

West Connected between Sec. 1, 27 & 34

21.57 a Beech 22 in. dia.

40.64 Let q. Sec. post, at average dist. from which  
a Beech 20 in. dia. brang S 63 W 7 l. h. dist. of  
a Grey Ash 24 " " " N 9 W 11 " "

63.59 a Pin Oak 44 " "

81.28 to Sec. Corner

North Between Sec. 1, 27 & 28

23.00 a Beech 18 in. dia.

40.00 Let q. Sec. post, from which  
a Beech 15 in. dia. brang N 87 W 18 l. h. dist. of  
a Sugar 24 " " " N 81 E 10 " "

61.36 a Hickory 18 " "

80.00 Let post Cor. to Sec. 1, 21, 22, 27 & 28, from which  
a Beech 17 in. dia. brang S 76 W 12 l. h. dist. of  
a Do. 30 " " " S 83 E 35 " "

329

West P. & E. 2<sup>nd</sup> Mer. Indiana  
ch. lly Level 2<sup>nd</sup> rate land, timber Beech, Ash, Elm,  
Hickory Sugar, Poplar &c. winding. Spruce

---

East On Rand<sup>m</sup>. between Sec. 22 & 27  
26.30 the Channel of a stream 15 lly. wide Course S. E.  
40.00 At temp<sup>y</sup>. of Sec. post  
81.37 intersected the N & S. line 53 lly. N. of post  
Land timber &c. same as on the last mile

---

West Connected between Sec. 22 & 27  
21.38 a P. Oak 24 in. dia.  
40.68 At of Sec. post at average dist. from which  
a Buckeye 16 in. dia. bray N 42<sup>W</sup> 22 lly. dist. of  
a Beech 32 " " " S 25 E 19 " "  
60.62 a Do. 24 " "  
81.37 to Sec. Corner.

---

North Between Sec. 21 & 22  
17.08 a Beech 20 in. dia.  
40.00 At of Sec. post, from which  
a Beech 14 in. dia. bray S 83<sup>W</sup> 3 lly. dist. of  
a Sugar 14 " " " S 55 E 17 " "  
45.00 enter a windfall & left it at 68.00  
80.00 At post Cor. to Sec. 15, 16, 21 & 22, from which  
a Hornbeam 4 in. dia. bray N 18<sup>W</sup> 6 lly. dist. of  
a Beech 5 " " " S 25 E 19 " "  
Land timber &c. same as on the last mile

---

East On Rand<sup>m</sup>. between Sec. 15 & 22  
40.00 At temp<sup>y</sup>. of Sec. post  
81.50 Intersected the N & S. line 43 lly. N. of post  
Land timber &c. same as on the last mile

---

West Connected between Sec.  
20.25 a Hickory 18 in. dia.  
40.75 At of Sec. post at average dist. from which

# N 6 N. R 8 E. 2<sup>d</sup> Mer. Indiana

ch. 2<sup>d</sup> 1/2

a Beech 12 in. dia. - bran N 61 W 24 lns. dist. of  
 a Do. 24 " " " N 42 E 41 " "  
 65.30 a Do. 22 " "  
 81.50 to Sec. Corner. Aug. 29<sup>th</sup>. 1820

## North Between Secs. 15 & 16

26.52 a Poplar 78 in. dia.  
 40.00 Let q. Sec. post, from which  
 a Hornbeam 3 in. dia. - bran N 55 E 3 lns. dist. of  
 a Do 3 " " " N 58 W 7 " "  
 64.48 a Hickory 15 " "  
 80.00 Let post Cor. to Secs. 9, 10, 15 & 16, from which  
 an Ironw. 4 in. dia. - bran N 49 W 11 lns. dist. of  
 a Beech 10 " " " N 77 E 27 " "  
 Sand timber &c. Same as on the last mile

## East On Rand<sup>m</sup> between Secs. 10 & 15

40.00 Let temp. q. Sec. post  
 81.63 Intersected the N & S. line 40 lns. N. of post  
 Sand timber &c. Same as on the last mile

## West Corrected between Secs. 10 & 15

21.69 an Elm 16 in. dia.  
 40.81 Let q. Sec. post, from which (at average dist.)  
 a Beech 6 in. dia. - bran N 40 W 13 lns. dist. of  
 a Do. 8 " " " N 29 E 21 " "  
 64.12 a Elm Oak 148 " "  
 81.63 to Sec. Corner

## North Between Secs. 9 & 10

20.27 a W. Elm 20 in. dia.  
 40.00 Let q. Sec. post, from which  
 a Cherry 12 in. dia. - bran N 11 E 21 lns. dist. of  
 a W. Elm 28 " " " N 43 W 21 " "  
 58.00 a Grey Ash 24 " "  
 80.00 Let post Cor. to Secs. 3, 4, 9 & 10, from which

331

West R & E. 2<sup>nd</sup> Mer. Indiana  
 ch. 1<sup>st</sup> m. a Beech 13 m. dist. from NW 1/4 lkr. dist. of  
 a do. 16 " " " S 40 E 40 " "  
 Land timber &c. same as on the last mile

---

East On Rand<sup>m</sup> between Sec. 3 & 10  
 40.00 Set temp<sup>y</sup>. of Sec. post  
 81.78 Intersected the N & S. line 62 lkr. N. of post  
 Land timber &c. same as on the last mile

---

West Corrected between Sec. 3 & 10  
 18.88 a Sugar 26 m. dist.  
 40.89 Set of Sec. post at average dist. from which  
 a Bur Oak 44 m. dist. from N 34 W 8 lkr. dist. of  
 a Beech 4 " " " S 33 E 21 " "  
 61.45 a Grey Ash 20 " "  
 81.78 to Sec. Corner

---

North Between Sec. 3 & 4  
 9.50 the Channel of a Stream 10 lkr. wide at N.  
 20.10 a Beech 19 m. dist.  
 40.00 Set of Sec. post, from which  
 a Dogwood 5 m. dist. from N 52 W 21 lkr. dist. of  
 a Beech 5 " " " S 47 E 14 " "  
 56.95 a W. Elm 18 " "  
 75.55 Intersected N. boundary of set post cor. to  
 Section 3 & 4, from which  
 a Grey Ash 19 m. dist. from N 68 W 7 lkr. dist. of  
 a Beech 8 " " " S 35 E 14 " "  
 Level 2<sup>nd</sup>. (note land, timber, Beech, Ash, Elm,  
 Poplar, Sugar, Elm, W & R. Oak &c. underg<sup>r</sup>. Spruce  
 Hazel, Ironw. &c. Aug. 30. 1890

---

North Between Sec. 32 & 33  
 5.10 the Channel of a Stream 12 lkr. wide at S. S. E.  
 20.70 a R. Oak 34 m. dist.  
 40.00 Set of Sec. post, from which



T6 N 128 E. 2<sup>d</sup> Mer. Indiana

ch. lth.

- a Beech 8 mi. dist. by N 76 E 20 lth. dist. of  
 a Sugar 14 " " " S 56 W 6 " "  
 44.15 the same stream course S. W.  
 45.75 the same " " S. E.  
 56.65 a Beech 20 mi. dist.  
 80.00 Let post Cor. to Sec. 28, 29, 32 & 33, from which  
 a Beech 18 mi. dist. by S 63 W 23 lth. dist. of  
 a Sugar 18 " " " N 57 W 50 " "  
 Rolling Rich 2<sup>d</sup> rate land, timber Beech, Blue  
 & Grey Oak, Elm, Buckeye, Sugar, N. W. Oak  
 Poplar, Walnut, underg. Spruce, Sassafras, & ash

East On Rand<sup>m</sup>, between Sec. 28 & 33

- 0.50 the channel of a brook 6 lth. wide C. S. N. W.  
 40.00 Let temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
 81.18 Intersected the N. S. line 12 lth. S. of post  
 Level 2<sup>d</sup> rate land, timber &c. same as on the  
 last mile

## West Connected between Sec. 28 &amp; 33

- 20.33 a Beech 20 mi. dist.  
 40.59 Let q<sup>r</sup>. Sec. post at average dist. from which  
 a stream 7 mi. dist. by N 73 W 18 lth. dist. of  
 a Beech 24 " " " S 62 E 4 " "  
 57.56 a Do 18 " "  
 81.18 to Sec. Corner.

## North Between Sec. 28 &amp; 29

- 1.00 a Brook 6 lth. wide course N. W.  
 20.12 a Buckeye 13 mi. dist.  
 40.00 Let q<sup>r</sup>. Sec. post, from which  
 a Buckeye 14 mi. dist. by N 34 W 31 lth. dist. of  
 a Ash 28 " " " S 14 E 6 " "  
 59.50 a Beech 15 " "  
 80.00 Let post Cor. to Sec. 20, 21, 28 & 29, from which  
 a Beech 20 mi. dist. by N 45 E 8 lth. dist. of

# N 6 N R 8 E 2<sup>d</sup> Mer. Indiana ch. lth.

a Sugar 20 in. dia. bray S 33 W 5 lth. dist.  
Land rolling 2<sup>d</sup> rate, timber Beech, Blue, Grey  
W. D. Ash, Sugar, Elm, Walnut, Hickory, Sycamore  
&c. undng<sup>r</sup>. Spruce &c

## East On Rand<sup>m</sup>. between Sec. 21 & 28

40.00 let temp<sup>y</sup>. of Sec. post

81.34 Intersected the N & S. line 6 lth. N. of post  
Level 2<sup>d</sup> rate land, timber Beech, Ash, Elm,  
Hickory, W. D. Oak, Sugar &c. undg<sup>r</sup>. Spruce &c.

## West Corrected between Sec. 21 & 28

21.18 a Beech 28 in. dia.

40.67 let of Sec. post at average dist. from which  
a Bur Oak 48 in. dia. bray S 74 E 14 lth. dist. of  
a Hornbeam 4 " " " N 43 W 17 " "

57.83 a Sugar 14 " "

81.34 to Sec. Corner

## North Between Sec. 20 & 21

19.12 a Sugar 20 in. dia.

40.00 let of Sec. post, from which  
a Hornbeam 5 in. dia. bray S 45 W 6 lth. dist. of  
a Do. 7 " " " N 55 E 27 " "

61.42 a Beech 15 " "

80.00 let post Cor. to Sec. 16, 17, 20 & 21, from which  
a Poplar 36 in. dia. bray S 70 E 8 lth. dist. of  
a Beech 6 " " " N 32 W 29 " "  
Land timber &c. same as on the last mile

## East On Rand<sup>m</sup>. between Sec. 16 & 21

10.00 enter a windfall

40.00 let temp<sup>y</sup>. of Sec. post

59.00 leave windfall

81.27 Intersected the N & S. line 21 lth. N. of post  
Land timber &c. same as on the last mile

# St. N. R. & E. 2<sup>nd</sup> Mer. Indiana.

Ch. P. 1/4

West Corrected between Sec. 16 & 21

21.50 a W. Elm 18 mi. dist.

40.62 Let q. Sec. post, at average dist. from which  
a Hornbeam 3 mi. dist. from N 4 E 17 mi. dist. of  
a Beech stump 6 " " " S 67 E 11 " "

61.12 a Sugar stump 18 " "

81.27 to Sec. Corner Aug. 31<sup>st</sup> 1820

North Between Sec. 16 & 17

5.00 enter a windfall

35.65 an Elm 24 mi. dist. Leave windfall

40.00 Let q. Sec. post, from which

a Sugar 26 mi. dist. from N 49 E 18 mi. dist. of  
a Beech 13 " " " S 52 W 18 " "

63.48 a Sugar 22 " "

80.00 Let post Cor. to Sec. 8, 9, 16 & 17, from which  
a Red Oak 26 mi. dist. from N 41 W 13 mi. dist. of  
a Grey Ash 28 " " " S 30 E 11 " "  
Sand timber &c. same as on the last mile

East On Range between Sec. 9 & 16

40.00 Let temp. q. Sec. post

81.40 Intersected the N & S line 25 mi. N. of post.  
Sand timber &c. same as on the last mile

West Corrected between Sec. 9 & 16

23.90 a Beech 22 mi. dist.

40.70 Let temp. q. Sec. post at average dist. from  
which a Beech 40 mi. dist. from N 8 W 14 mi. dist. of  
a Sugar 18 " " " S 25 W 20 " "

57.08 a Spruce 30 " "

81.40 to Sec. Corner.

North Between Sec. 8 & 9

21.53 a Hickory 22 mi. dist.

40.00 Let q. Sec. post, from which

# McN. N 8 E. 2<sup>nd</sup> Mer. Indiana

335

ch. lth.

- a Beech 19 mi. diam. bray N 9 E 12 lth. dist. of  
 a Beech 19 " " " S 74 N 12 " "  
 59.00 a Sugar 22 " " "  
 80.00 Set post Cor. to Sec. 4, 5, 8 & 9, from which  
 a W. Elm 17 mi. diam. bray N 30 E 21 lth. dist. of  
 a B. Ash 24 " " " S 41 N 25 " "  
 Sand timber &c. same as on the last mile

East On Road 8<sup>th</sup> between Sec. 4 & 9

- 40.00 Set temp. of Sec. post  
 81.48 Intersected the N of S. line 20 lth. N. of post  
 Sand timber &c. same as on the last mile

West Connected between Sec. 4 & 9

- 23.36 a Beech 24 mi. diam.  
 40.74 Set of Sec. post at average dist. from which  
 a Beech 5 mi. diam. bray S 59 N 15 lth. dist. of  
 a Buckeye 6 " " " N 40 E 4 " "  
 60.06 a W. Elm 23 " "  
 81.48 to Sec. Corner

North Between Sec. 4 & 5

- 24.04 a Sugar 26 mi. diam.  
 40.00 Set of Sec. post, from which  
 a Beech 14 mi. diam. bray N 40 N 15 lth. dist. of  
 a do 14 " " " S 78 E 15 " "  
 41.50 the Channel of a stream 12 lth. wide West  
 56.30 a Beech 17 mi. diam.  
 75.25 Intersected the N. boundary & Set post cor.  
 to Sec. 4 & 5, from which  
 a Beech 26 mi. diam. bray S 11 E 10 lth. dist. of  
 a do 20 " " " S 52 N 34 " "  
 Sand level 2<sup>nd</sup> rate, timber Beech, Ash, Hickory  
 W. Oak Sugar, Elm, Lym, Walnut &c.  
 underg<sup>th</sup>. Spruce &c. Sept. 1<sup>st</sup> 1820



T M N P & E. 2<sup>d</sup>. Mer. Indiana

ch. P. 1/4

North Between Secs. 31 &amp; 32

20.18 a Grey Ash 24 in. dia.

40.00 Let of. Sec. post, from which  
an Ironwood 10 in. dia. bear N 34 E 14 in. dist. of  
a Beech 17 " " " N 65 W 23 " "

57.58 a Grey Ash 36 " "

80.00 Let post Cor. to Secs. 29, 30, 31 & 32, from which  
a Beech 32 in. dia. bear N 44 E 21 in. dist. of  
a Do. 28 " " " S 55 W 28 " "Level 2<sup>d</sup>. rate, timber Beech, Ash, Hickory  
W & R. Oak, Sugar, Elm &c. underg. Maple &c.East On Land<sup>m</sup>. between Secs. 29 & 3240.00 Let temp<sup>y</sup>. of. Sec. post

70.45 a stream 15 in. wide Course S. E.

81.18 Intersected the N & S. line at the post  
Land timber &c. Same as on the last mile

West Connected between Secs. 29 &amp; 32

23.60 a Beech 34 in. dia.

40.59 Let of. Sec. post, at average dist. from which  
a Beech 20 in. dia. bear S 43 W 29 in. dist. of  
a Sugar 12 " " " N 70 E 7 " "

59.08 a Y. Elm 18 " "

81.18 to Sec. Corner

West Between Secs. 30 &amp; 31

15.50 a Beech 21 in. dia.

40.00 Let of. Sec. post, from which  
a Beech 10 in. dia. bear S 82 W 13 in. dist. of  
a Do 22 " " " N 14 E 10 " "

55.65 a Do. 24 " "

56.50 the Channel of a Brook 30 in. wide Cr. South

65.68 Intersected the W. boundary 44 in. S. of post  
Let post Cor. to Secs. 30 & 31, from which  
a Beech 10 in. dia. bear S 37 E 25 in. dist. of

337

West N & E. 2<sup>d</sup>. Mer. Indiana

ch. 2<sup>d</sup>. Mer.

a Beech 14 mi. dist. from N 21 E 29<sup>th</sup> dist. of  
 Sec 2<sup>d</sup> rate land, timber, Beech, ash, Sugar,  
 Elm, W & E Oak, Hickory, Walnut, Poplar &c.  
 undug<sup>d</sup> Spruce, Ironwood &c.

North Between Sec. 29 & 30

20.61 a W. Elm 18 mi. dist.

40.00 let of. Sec. post, from which

a Beech 16 mi. dist. from N 47 W 17<sup>th</sup> dist. of

a do. 9 " " " N 47 E 18 " "

60.00 a do 16 " "

80.00 let post Cor. to Sec. 19, 20, 29 & 30, from which

a Beech 18 mi. dist. from N 56 E 10<sup>th</sup> dist. of

a do. 11 " " " N 84 W 17 " "

Sand timber &c. Same as on the last mile

East On Rand<sup>m</sup>. between Sec. 20 & 29

27.00 a Marsh 100<sup>th</sup> (wide Course S.

40.00 let temp<sup>y</sup>. of. Sec. post

65.00 a Marsh Course S. W

81.22 intersected the N. & S. line 8<sup>th</sup> N. of post

Sand timber &c. Same as on the last mile

West Corrected between Sec. 20 & 29

23.60 a Sugar 20 mi. dist.

40.61 let of. Sec. post, from which

a Beech 15 mi. dist. from N 40 W 11<sup>th</sup> dist. of

a do. 17 " " " S 80 W 25 " "

63.30 a Sugar 18 " "

81.22 to Sec. Corner.

West Between Sec. 19 & 30

20.38 a Beech 34 mi. dist.

34.50 the Channel of a Stream 15<sup>th</sup> E. S. W.

40.00 let of. Sec. post, from which

a W. Elm 14 mi. dist. from S 73 W 7<sup>th</sup> dist. of

# St. N. R. & E. 2<sup>d</sup>. Mer. Indiana

ch. 1<sup>st</sup> m.  
 a W. Elm 12 m. dist. - bear N 8 W 21 m. dist. of  
 58.05 a Beech 16 "  
 65.83 intersected N. boundary 132 m. S. of post  
 let post Cor. to Sec. 19 & 20, from which  
 a Beech 16 m. dist. - bear S 31 E 9 m. dist. of  
 a Do. 7 " " " N 68 E 19 " "  
 Sand timber &c. same as on the last mile  
 September 2<sup>d</sup>. 1870

## North Between Sec. 19 & 20

22.55 a Beech 17 m. dist.  
 40.00 let of Sec. post, from which  
 a Beech 6 m. dist. - bear S 65 E 9 m. dist. of  
 a Do. 18 " " " N 72 W 43 " "  
 44.50 the Channel of a stream 12 m. wide E. S. W.  
 55.47 a Bur Oak 14 m. dist.  
 58.50 the Channel of a stream 10 m. wide E. S. W.  
 80.00 let post Cor. to Sec. 17, 18, 19 & 20, from which  
 a W. Elm 17 m. dist. - bear N 23 W 12 m. dist. of  
 aycamore 36 " " " N 68 E 17 " "  
 Sand level 2<sup>d</sup>. rats, timber, Beech, Ash,  
 Elm, Hickory, Bur Oak, Sycamore, Sugar &c.  
 underg<sup>d</sup>. Office, Prickly Oak &c.

## East On Land<sup>m</sup>. between Sec. 17 & 20

40.00 let temp<sup>y</sup>. of Sec. post  
 67.60 the Channel of a Brook 10 m. wide E. S. S. W.  
 81.32 intersected the N & S. line 2 m. S. of post  
 Sand timber &c. same as on the last mile

## West Connected between Sec. 17 & 20

18.58 a Beech 18 m. dist. to  
 40.66 let of Sec. post, from which  
 a Beech 20 m. dist. - bear S 8 W 15 m. dist. of  
 a Do. 12 " " " N 43 E 22 " "  
 60.37 a Grey ash 22 " "

339

Mt R & E. 2<sup>d</sup> Mer. Indiana

chdth  
81.32 to Sec. Corner

---

West Between Sec. 18 & 19

20.58 a Hickory 24 in. dia.

40.00 Set q. Sec. post, from which  
a Beech 18 in. dia. bears N 55 W 9 lks. dist. of  
a do 12 " " " S 81 E 14 " "

67.62 Intersected W. boundary 220 lks. S. of post  
Set post Cor. to Sec. 18 & 19, from which  
a Beech 14 in. dia. bears N 25 E 2 lks. dist. of  
a Hornbeam 6 " " " S 56 W 25 " "  
Land timber &c. same as on the last mile

---

North Between Sec. 17 & 18

25.05 a Buckeye 18 in. dia.

28.00 Enter a Windfall -

40.00 Set q. Sec. post, from which (in Windfall)  
a Beech stump 16 in. dia. bears S 27 W 9 lks. dist. &  
and no other tree near -

47.50 leave the Windfall -

61.10 a Hickory 24 in. dia.

80.00 Set post Cor. to Sec. 7, 8, 17 & 18, from which  
a Beech 10 in. dia. bears N 31 E 15 lks. dist. &  
a No. 7 " " " S 54 W 31 " "  
Land level 2<sup>d</sup> rate timber Beech, Ash, Poplar,  
Hickory, Sugar, W. & Bur, Oak, Elm & Underg<sup>o</sup>. Spice.

---

East On Random between Sec. 8 & 17

40.00 Set temp. q. Sec. post.

81.48 Intersected the N. & S. line 36 lks. N. of post  
Land timber &c. same as on last mile

---

West Corrected between Sec. 8 & 17

22.24 a Shellbark Hickory 24 in. dia.

40.74 Set q. Sec. post at average dist. from which  
a S. Hickory 22 in. dia. bears S 33 W 18 lks. dist.



# West R8E. 2<sup>nd</sup> Mer. Indiana

ch. lks

- a Beech 15 in. dia. bears N 22 E 18 lks. dist. 4  
 62. 98 a Sugar 16 " " " "  
 81. 48 to Section Corner

West Between Secs. 7 & 18

21. 75 a Sugar 18 in. dia. bears  
 40. 00 Set of Sec. post, from which  
 an Elm 32 in. dia. bears S 74 W 28 lks. dist. 4  
 a B. Ash 14 " " " N 30 E 35 " "  
 58. 92 a Beech 19 " "  
 67. 04 Intersected the W. boundary 2.80 lks. S. of post.  
 Set post Cor. to Secs. 7 & 18, from which  
 a Beech 13 in. dia. bears N 85 E 25 lks. dist. 4  
 a B. Ash 4 " " " S 64 E 21 " "  
 Level 2<sup>nd</sup> rate land timber Beech Ash Elm W.  
 & B. & P. Oak Poplar Hickory &c. undergrowth  
 Spice Pitchley Ash &c. Sept. 4<sup>th</sup> 1820.

North Between Secs. 7 & 8

18. 78 a Beech 18 in. dia.  
 40. 00 Set of Sec. post, from which  
 a Buckeye 16 in. dia. bears N 26 E 12 lks. dist. 4  
 a Beech 16 " " " N 33 W 44 " "  
 42. 45 the channel of a Brook 10 lks. wide Course N. W.  
 65. 16 a Beech 20 in. dia.  
 68. 90 the channel of a Stream 18 lks. wide Course S. S. E.  
 80. 00 Set post Corner to Secs. 5, 6, 7 & 8, from which  
 a Beech 12 in. dia. bears N 11 W 13 lks. dist. 4  
 a No. 18 " " " S 60 E 15 " "  
 Land timber &c. Same as on last Mile

East On Random between Secs. 5 & 8.

11. 50 the channel of a Stream 18 lks. wide Course S. S. W.  
 40. 00 Set Temp. of Sec. post.  
 81. 77 Intersected the N. & S. line 6 lks. N. of post.  
 Land level 2<sup>nd</sup> rate timber Beech, Ash, Elm,

ch. l. l. h. *341*  
 T6 N R8 E. 2<sup>d</sup>. Mer. Indiana

B. & W. Oak Hickory Red Oak. Poplar &c. under-  
 growth Spice ash Butternut Hornbeam &c.

West Corrected between Sect. 5 & 8

24.39 a Hickory 28 in. dia.

40.88 Set of. Sec. post at average dist. from which  
 a W. Elm 18 in. dia. bears S 39 E 6 lks. dist. &  
 a B. Ash 8 " " " N 24 W 30 " "

61.47 a Hickory 18 " "

81.77 to Section Corner

West Between Sect. 6 & 7.

16.32 a Hickory 18 in. dia.

40.00 Set of. Sec. post, from which  
 a Red Oak 56 in. dia. bears S 78 W 18 lks. dist. &  
 a Beech 20 " " " N 78 E 6 " "

53.10 a Stream 20 lks. wide Course N. W.

56.54 a Bur Oak 17 in. dia.

67.48 Intersected the W. boundary 3.42 lks. S. of post  
 Set post Cor. to Sect. 6 & 7, from which  
 a Sugar 23 in. dia. bears N 70 E 2 lks. dist. &  
 a Ironwood 5 " " " S 66 E 15 " "  
 Post level & part rolling 2<sup>d</sup>. rate, land timber  
 undergrowth &c. Same as last.

North Between Sect. 5 & 6.

23.00 a W. Oak 40 in. dia.

40.00 Set of. Sec. post, from which  
 a Beech 15 in. dia. bears N 8 E 8 lks. dist. &  
 a W. 12 " " " S 8 W 23 " "

66.62 a Sugar 22 " "

75.68 Intersected the N. boundary, and  
 Set post Cor. to Sect. 5 & 6, from which  
 a Beech 5 in. dia. bears S 49 E 10 lks. dist. &  
 a Sugar 10 " " " S 76 W 39 " "  
 Level 2<sup>d</sup>. rate land timber &c. Same as last. mile.

342

ch. 16. N. 16. N. 8 E. 2<sup>d</sup>. Mer. Indiana

ch. 16.

September 5<sup>th</sup> 1820

Surveyed By  
Thomas Brown,  
Deputy Surveyor

Comp.

I Certify that the foregoing transcript of field notes  
of Township N. 16 North, Range N. 8 East, 2<sup>d</sup>. Meridian  
Indiana, has been compared with the Original notes  
in this Office, and found to be correct.

Surveyor General's Office  
Cincinnati, Oct. 10. 1848

William Johnston  
Sur. Genl.